

# Baker School District 5J

Code: **EBAD**  
Adopted: 4/15/08  
Orig. Code(s): EBAD

## Indoor Air Quality (IAQ)

The Board recognizes that a safe and healthy school environment is important in contributing to the health of students and adults. Good indoor air quality (IAQ) is essential to creating a healthy learning environment for students to participate in the educational process. IAQ problems include but are not limited to mold, pollutants, lead and poor ventilation.

The district is committed to maintaining good air quality in all district facilities. The superintendent is responsible for implementing an IAQ Management Plan which will address issues such as reduction of exposure to asthma triggers commonly found in school facilities, plus proper chemical purchasing, management, inventory, storage, labeling, use and disposal and strategies for mold prevention and management. This plan will also include a process for monitoring district facilities, reporting IAQ problems and enacting solutions to those problems.

The district's goal is to improve indoor air quality during new construction and while making repairs, renovations and maintenance to existing facilities. When reviewing bids of this nature, consideration will be given to those contractors who incorporate good indoor air quality into their design plans.

The superintendent is directed to develop administrative regulations for the implementation of this policy.

END OF POLICY

---

### Legal Reference(s):

[ORS 332.107](#)

[ORS 433.835 - 433.990](#)

[ORS 654.003 - 654.022](#)